RESTRICTED USE PESTICIDE

Due to Toxicity to Aquatic Invertebrates

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Aztec® 2.1% Granular Insecticide

For control of corn rootworms, cutworms and other listed soil insect pests in corn.	
ACTIVE INGREDIENTS:	
O-[2-(1,1-Dimethylethyl)-5-pyrimidinyl]-O-ethyl O-(1-methylethyl) phosphorothioate	2.0%
Cyfluthrin,	
Cyano(4-fluoro-3-phenoxyphenyl)-methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropaneca	arboxylate 0.1%
INERT INGREDIENTS:	<u>97.9%</u>
	100.0%
EPA Reg. No. 264-813	EPA Est. No. 3125-MO-1

STOP - Read the label before use Keep out of reach of children WARNING AVISO

PRECAUCION AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (TO THE USER: If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577 For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

Contains an organophosphate that inhibits cholinesterase

If swallowed	Call a poison control center or doctor immediately for treatment advice.			
	Have person sip a glass of water if able to swallow.			
	Do not induce vomiting unless told to do so by a poison control center or doctor.			
	Do not give anything by mouth to an unconscious person.			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. 			
	Call a poison control center or doctor for treatment advice.			
If on skin or clothing	Take off contaminated clothing.			
	Rinse skin immediately with plenty of water for 15 to 20 minutes.			
	Call a poison control center or doctor for treatment advice.			
If inhaled	Move person to fresh air.			
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.			
	Call a poison control center or doctor for further treatment advice.			
In case of emergency call	toll free the Bayer Emergency Response Telephone No. 1-800-334-7577 Have a product container or label			

In case of emergency call toll free the Bayer Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

Note To Physician: ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE).

Some materials that are chemical-resistant to this product are any waterproof material. If you want options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

All loaders and any handlers engaged in activities, such as cleaning up a spill or leak and cleaning or repairing contaminated equipment, must wear:

- --chemical-resistant coveralls over long-sleeve shirt and long pants,
- --chemical-resistant gloves,
- --chemical-resistant footwear plus socks,
- --chemical-resistant apron, and
- ---A NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter.

Applicators using an enclosed cab must wear:

- -Long-sleeved shirt and long pants, and
- -Shoes plus socks

See Engineering Controls for additional requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Engineering Controls for Applicators

Applicators must use an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240(d)(5)] for dermal protection. In addition, applicators must:

- --wear the PPE required in the PPE section of this product labeling for applicators using engineering controls,
- --be provided, must have immediately available, and must wear in an emergency, when they must exit the cab in the treated area, the PPE specified in the PPE section of this labeling for spill clean-up.
- -- take off any PPE that was worn in the treated area before reentering the cab, and
- -- store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

USER SAFETY RECOMMENDATIONS

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

When used on erodible soils, best management practices for minimizing runoff should be employed. Consult your local Soil Conservation Service for recommendations in your use area. For applications made within 20 yards of water (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. The REI is 72 hours where average rainfall is less than 25 inches per year.

Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard under certain circumstances, allows workers to enter the treated area without restrictions if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is:

- · Coveralls over long-sleeved shirt and long pants,
- Chemical resistant gloves such as or made out of any waterproof material,
- · Chemical resistant footwear plus socks,
- · Protective eye wear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

Product Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handling and Spillage: Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. In spill or leak incidents, keep unauthorized people away. Dispose of pesticide as directed in the Pesticide Disposal section. Refer to Precautionary Statements on label for hazards associated with the handling of this material. You may contact the Bayer CropScience Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer CropScience Emergency Response Telephone No. is 1-800-334-7577.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For use only in the states of: Arkansas, Colorado, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Ohio, Oklahoma, Pennsylvania, South Dakota, Tennessee, Utah, Vermont, West Virginia, Wisconsin, and Wyoming.

Do not use on other crops grown for food or forage.

Corn may be replanted anytime after application of Aztec® 2.1% Granular Insecticide. All other crops may be planted 30 days after application.

Aztec® 2.1% Granular Insecticide is not systemic and will not interact with corn herbicides. It will not affect seed germination and crop emergence when applied in-furrow.

APPLICATION RATES					
CROP	PEST	DOSAGE			
FIELD CROPS	Corn rootworm larvae	6.7 Ounces Per 1000 Feet of Row			
Field Corn	(Northern, Western, Southern, Mexican)				
Sweet Corn	Cutworms				
Popcorn	Wireworms				
Corn grown for seed or silage	Seedcorn maggot				
	Seedcorn beetle				
	White grubs				

REMARKS: BAND - Apply specified dosage at planting as a 7-inch band over the row behind the press wheel. Granules must be incorporated into the top one inch of soil using tines, chains, or other suitable equipment.

T-BAND - Apply specified dosage at planting as a T-Band over the row behind the planter shoe and in front of the press wheel. Incorporation into the soil surface may also be accomplished with a drag chain or other suitable equipment.

IN-FURROW - Apply specified dosage at planting directly into the seed furrow behind the planter shoe and in front of the press wheel.

RESTRICTION: Do not apply more than 7.3 pounds Aztec® 2.1% Granular Insecticide per acre (0.15 lbs. ai/A) per crop season.

Row Spacing (inches)	Pounds per Acre		
30	7.3		
32	6.9		
34	6.5		
36	6.1		
38	5.8		
40	5.5		

OPTIMUM CONTROL - For control of cutworm apply Aztec® 2.1% Granular Insecticide as a Band or T-Band. For control of wireworms, seedcorn maggot, seedcorn beetle and white grubs apply Aztec® 2.1% Granular Insecticide as a T-Band or In-Furrow.

For no-till corn where runoff drains into adjacent or neighboring aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply Aztec® 2.1% Granular Insecticide as an in-furrow or T-band application only.

For applications made within 20 yards of aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.

Cover or incorporate spills (including end row spillage).

EQUIPMENT CALIBRATION

Calibrate application equipment accurately prior to application of Aztec® 2.1% Granular. The settings suggested below should be used as starting points to calibrate for 6.7 oz per 1000 row ft. Check and monitor the flow based on the length of row and acreage and adjust settings as necessary for proper calibration.

	SPEED IN MPH				
APPLICATION EQUIPMENT	4	5	6	7	8
John Deere Max-Emerge 2 (Models 7200 - 7300)	20	25	26	33	38
John Deere Max-Emerge (Models 7000 and 7100) (Odd Notches 5-15-25-35)	12	13	15	17	19
John Deere Max-Emerge (Models 7000 and 7100) (Even Notches 10-20-30-40)	16	19	23	26	29
John Deere 71 Flex Planter (With 3 Range Settings and Dial)	1/31	2/6	2/10	2/14	2/16
John Deere Max-Emerge Plus	19	23	27	33	38
Gandy	21	23	24	27	29
Kinze (old)	11	12	14	16	18
Kinze (new)	16	20	24	28	32
International Harvester (Old)	2/8	2/9	3/1	3/8	3/9
International Harvester (New)	1/6	1/8	2/1	2/4	3/1
White (Series 6100) (Odd Notches 5-15-25-35)	14	16	17	18	20
White (Series 5100)	8	12	14	16	19
Allis Chalmers (78 - 79 Series)	2/8	2/9	3/1	3/8	3/9
Allis Chalmers (385 Series)	10	12	14	16	18
Buffalo (10-20-30-40)	10	12	15	17	19
Buffalo (Fluted Rolled)	All Speeds 5-1/4 Revolution Hexagon Nut				
Nobel - New(Rectangular Opening)	9	11	13	15	17
Nobel - Old (Round Opening)	13	16	19	22	24

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET WEIGHT: 50 POUNDS



Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

09/11/09