

<b>Material Safety Data Sheet Commercial Product</b>
--

---

**1. PRODUCT AND COMPANY IDENTIFICATION****Product name****AgriSolutions Cornerstone® Herbicide****EPA Reg. No.**

524-445-1381

**Product use**

Herbicide

**Chemical name**

Not applicable.

**Synonyms**

None.

**Company**

Winfield Solutions, LLC, P.O. Box 64589, St. Paul, MN 55164-0589

Please contact your local Winfield Solutions dealer or supplier for information regarding this product.

FOR CHEMICAL EMERGENCY, SPILL LEAK, FIRE, EXPOSURE, OR ACCIDENT Call Chemtrec – Day or Night: 1-800-424-9300 toll free in the continental U.S., Puerto Rico, Canada, or Virgin Islands.

FOR MEDICAL EMERGENCY – Call 1-877-424-7452

---

**2. HAZARDS IDENTIFICATION****Emergency overview****Appearance and odour (colour/form/odour):** Yellow - Amber / Liquid / Slight

WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY

HARMFUL IF SWALLOWED

HARMFUL IF INHALED

**Potential health effects****Likely routes of exposure**

Skin contact, eye contact

**Eye contact, short term**

May cause temporary eye irritation.

**Skin contact, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

**Inhalation, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

Refer to section 11 for toxicological and section 12 for environmental information.

**OSHA Status**

This product is hazardous according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Active ingredient**

Isopropylamine salt of N-(phosphonomethyl)glycine; {Isopropylamine salt of glyphosate}

**Composition**

COMPONENT	CAS No.	% by weight (approximate)
Isopropylamine salt of glyphosate	38641-94-0	41
Other ingredients		59

Trade Secret Composition.

---

#### 4. FIRST AID MEASURES

Use personal protection recommended in section 8.

##### **Eye contact**

If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

##### **Skin contact**

Wash affected skin with plenty of water.  
Wash clothes and clean shoes before re-use.  
Take off contaminated clothing, wristwatch, jewellery.

##### **Inhalation**

If inhaled, move person to fresh air. If person is not breathing, call emergency number or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

##### **Ingestion**

Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison center or doctor. Do not give anything by mouth to an unconscious person.

##### **Advice to doctors**

This product is not an inhibitor of cholinesterase.

##### **Antidote**

Treatment with atropine and oximes is not indicated.

---

#### 5. FIRE-FIGHTING MEASURES

##### **Flash point**

Does not flash.

##### **Extinguishing media**

Recommended: Water, dry chemical, carbon dioxide (CO<sub>2</sub>), foam

##### **Unusual fire and explosion hazards**

None.  
Environmental precautions: see section 6.

##### **Hazardous products of combustion**

Carbon monoxide (CO), nitrogen oxides (NO<sub>x</sub>), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>)

##### **Fire fighting equipment**

Self-contained breathing apparatus.  
Equipment should be thoroughly decontaminated after use.

---

#### 6. ACCIDENTAL RELEASE MEASURES

##### **Personal precautions**

Use personal protection recommended in section 8.

##### **Environmental precautions**

SMALL QUANTITIES:  
Low environmental hazard.

**LARGE QUANTITIES:**

Minimise spread.

Keep out of drains, sewers, ditches and water ways.

**Methods for cleaning up****SMALL QUANTITIES:**

Flush spill area with water.

**LARGE QUANTITIES:**

Absorb in earth, sand or absorbent material.

Dig up heavily contaminated soil.

Collect in containers for disposal.

Refer to section 7 for types of containers.

Flush residues with small quantities of water.

Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

**7. HANDLING AND STORAGE**

Good industrial practice in housekeeping and personal hygiene should be followed.

**Handling**

Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling or contact.

Thoroughly clean equipment after use.

Emptied containers retain vapour and product residue.

**FOLLOW LABELLED WARNINGS EVEN AFTER CONTAINER IS EMPTIED.**

**Storage**

Minimum storage temperature: 10 °F

Compatible materials for storage: stainless steel, plastic, fibreglass, glass lining

Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.

Keep out of reach of children.

Keep away from food, drink and animal feed.

Keep only in the original container.

Partial crystallization may occur on prolonged storage below the minimum storage temperature.

If frozen, place in warm room and shake frequently to put back into solution.

Minimum shelf life: 5 years.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Airborne exposure limits**

Components	Exposure Guidelines
Isopropylamine salt of glyphosate	No specific occupational exposure limit has been established.
Other ingredients	No specific occupational exposure limit has been established.

**Engineering controls**

Have eye wash facilities immediately available at locations where eye contact can occur.

**Eye protection**

If there is potential for contact:

Wear chemical goggles.

**Skin protection**

If repeated or prolonged contact:

Wear chemical resistant gloves.

### Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Yellow - Amber
Odour:	Slight
Form:	Liquid
Physical form changes (melting, boiling, etc.):	
Melting point:	Not applicable.
Boiling point:	No data.
Flash point:	Does not flash.
Explosive properties:	No explosive properties
Auto ignition temperature:	No data.
Specific gravity:	1.1655 @ 20 °C / 15.6 °C
Vapour pressure:	No significant volatility; aqueous solution.
Vapour density:	Not applicable.
Evaporation rate:	No data.
Dynamic viscosity:	No data.
Kinematic viscosity:	No data.
Density:	1.1655 g/cm <sup>3</sup> @ 20 °C
Solubility:	Water: Completely soluble
pH:	4.4 - 5.0 80 g/l
Partition coefficient:	log Pow: -3.02 @ 25 °C (glyphosate)

## 10. STABILITY AND REACTIVITY

### Stability

Stable under normal conditions of handling and storage.

### Oxidizing properties

No data.

### Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

### Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

### Self-accelerating decomposition temperature (SADT)

No data.

### Hazardous polymerization

Does not occur.

---

## 11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on product and components are summarized below.

### Acute oral toxicity

**Rat, LD50 (limit test):** > 5,000 mg/kg body weight

Other effects: breathing difficulty, decreased activity, soft stools

Practically non-toxic.

FIFRA category IV.

No mortality.

### Acute dermal toxicity

**Rat, LD50 (limit test):** > 5,000 mg/kg body weight

Target organs/systems: none

Other effects: none

Practically non-toxic.

FIFRA category IV.

No mortality.

### Acute inhalation toxicity

**Rat, LC50, 4 hours, aerosol:** 2.6 mg/L

Target organs/systems: none

Other effects: breathing difficulty, decreased activity, local effects

Practically non-toxic.

FIFRA category IV.

### Skin irritation

**Rabbit, 6 animals, OECD 404 test:**

Days to heal: 1

Primary Irritation Index (PII): 0.4/8.0

Other effects: none

Essentially non irritating.

FIFRA category IV.

### Eye irritation

**Rabbit, 6 animals, OECD 405 test:**

Days to heal: 10

Moderate irritation.

FIFRA category II.

### Skin sensitization

**Guinea pig, 3-induction Buehler test:**

Positive incidence: 0 %

## EXPERIENCE WITH HUMAN EXPOSURE

### Ingestion, short term, case report(s):

**Gastro-intestinal effects:** irritation, nausea/vomiting, diarrhoea

### Ingestion, short term, :

**Respiratory effects:** increased fluid in lungs (lung/pulmonary oedema)

**Cardiovascular effects:** decreased blood pressure (hypotension)

### N-(phosphonomethyl)glycine; {glyphosate}

### Mutagenicity

**In vitro and in vivo mutagenicity test(s):**

Not mutagenic.

**Repeated dose toxicity****Rabbit, dermal, 21 days:**

NOAEL toxicity: > 5,000 mg/kg body weight/day  
Target organs/systems: none  
Other effects: none

**Rat, oral, 3 months:**

NOAEL toxicity: > 20,000 mg/kg diet  
Target organs/systems: none  
Other effects: none

**Chronic effects/carcinogenicity****Mouse, oral, 24 months:**

NOEL tumour: > 30,000 mg/kg diet  
NOAEL toxicity: ~ 5,000 mg/kg diet  
Tumours: none  
Target organs/systems: liver  
Other effects: decrease of body weight gain, histopathologic effects

**Rat, oral, 24 months:**

NOEL tumour: > 20,000 mg/kg diet  
NOAEL toxicity: ~ 8,000 mg/kg diet  
Tumours: none  
Target organs/systems: eyes  
Other effects: decrease of body weight gain, histopathologic effects

**Toxicity to reproduction/fertility****Rat, oral, 2 generations:**

NOAEL toxicity: 10,000 mg/kg diet  
NOAEL reproduction: > 30,000 mg/kg diet  
Target organs/systems in parents: none  
Other effects in parents: decrease of body weight gain  
Target organs/systems in pups: none  
Other effects in pups: decrease of body weight gain  
Effects on offspring only observed with maternal toxicity.

**Developmental toxicity/teratogenicity****Rat, oral, 6 - 19 days of gestation:**

NOAEL toxicity: 1,000 mg/kg body weight  
NOAEL development: 1,000 mg/kg body weight  
Other effects in mother animal: decrease of body weight gain, decrease of survival  
Developmental effects: weight loss, post-implantation loss, delayed ossification  
Effects on offspring only observed with maternal toxicity.

**Rabbit, oral, 6 - 27 days of gestation:**

NOAEL toxicity: 175 mg/kg body weight  
NOAEL development: 175 mg/kg body weight  
Target organs/systems in mother animal: none  
Other effects in mother animal: decrease of survival  
Developmental effects: none

---

**12. ECOLOGICAL INFORMATION**

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on similar products and on components are summarized below.

**Similar formulation****Aquatic toxicity, fish****Bluegill sunfish (*Lepomis macrochirus*):**

Acute toxicity, 96 hours, flowthrough, LC50: 5.8 mg/L  
Moderately toxic.

**Rainbow trout (*Oncorhynchus mykiss*):**

Acute toxicity, 96 hours, flowthrough, LC50: 8.2 mg/L  
Moderately toxic.

**Aquatic toxicity, invertebrates****Water flea (*Daphnia magna*):**

Acute toxicity, 48 hours, static, EC50: 11 mg/L  
Slightly toxic.

**Aquatic toxicity, algae/aquatic plants****Green algae (*Selenastrum capricornutum*):**

Acute toxicity, 96 hours, static, EC50: 2.6 mg/L  
Moderately toxic.

**Duckweed (*Lemna minor*):**

Acute toxicity, 7 days, static, EC50 (frond number): 6 mg/L

**Avian toxicity****Bobwhite quail (*Colinus virginianus*):**

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet  
Practically non-toxic.

**Mallard duck (*Anas platyrhynchos*):**

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet  
Practically non-toxic.

**Arthropod toxicity****Honey bee (*Apis mellifera*):**

Oral/contact, 48 hours, LD50: > 338 µg/bee  
Practically non-toxic.

**Soil organism toxicity, invertebrates****Earthworm (*Eisenia foetida*):**

Acute toxicity, 14 days, LC50: > 5,000 mg/kg dry soil  
Practically non-toxic.

**N-(phosphonomethyl)glycine; {glyphosate}****Bioaccumulation****Bluegill sunfish (*Lepomis macrochirus*):**

Whole fish: BCF: < 1  
No significant bioaccumulation is expected.

**Dissipation****Soil, field:**

Half life: 2 - 174 days  
Koc: 884 - 60,000 L/kg  
Adsorbs strongly to soil.

**Water, aerobic:**

Half life: < 7 days

---

**13. DISPOSAL CONSIDERATIONS****Product**

Keep out of drains, sewers, ditches and water ways.  
Recycle if appropriate facilities/equipment available.  
Burn in proper incinerator.  
Follow all local/regional/national/international regulations.

**Container**

See the individual container label for disposal information.  
Emptied containers retain vapour and product residue.  
Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.  
Empty packaging completely.  
Triple or pressure rinse empty containers.

Do NOT contaminate water when disposing of rinse waters.  
 Ensure packaging cannot be reused.  
 Do NOT re-use containers.  
 Store for collection by approved waste disposal service.  
 Recycle if appropriate facilities/equipment available.  
 Follow all local/regional/national/international regulations.  
 Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## 14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not hazardous under the applicable DOT, ICAO/IATA, IMO, TDG and Mexican regulations.

---

## 15. REGULATORY INFORMATION

### TSCA Inventory

All components are on the US EPA's TSCA Inventory

### OSHA Hazardous Components

Surfactant(s)

### SARA Title III Rules

Section 311/312 Hazard Categories

Immediate

Section 302 Extremely Hazardous Substances

Not applicable.

Section 313 Toxic Chemical(s)

Not applicable.

### CERCLA Reportable quantity

Not applicable.

---

## 16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

	Health	Flammability	Instability	Additional Markings
NFPA	2	1	1	

0 = Minimal hazard, 1 = Slight hazard, 2 = Moderate hazard, 3 = Severe hazard, 4 = Extreme hazard

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

<p>This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and other handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and</p>
--

Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, WINFIELD SOLUTIONS or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will WINFIELD SOLUTIONS or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. **NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.**