



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV =ISO 14001= -





Issued

05/01/2007

Ca

Revision

1 (05/06/2007)

Maxicroi

SAFETY DATA SHEET (2001/58/EC)

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND 1 THE **COMPANY/UNDERTAKING**

1.1 Identification of the substance	FERRILENE		
1.2 Intended use	Agriculture fertilizer		
1.3 Identification of the company/undertaking	VALAGRO Spa		
	Zona Industriale		
	ATESSA (CHIETI) ITALY		
	Tel. +39 872 8811		
	Fax +39 872 897416		
	Email : l.giannantonio@valagro.com		
1.4 Emergency telephone	Tel. 0872 881366		
	Tel. 02 66101029 (Centro Antiveleni Ospedale Niguarda		
	Milano)		

2 – HAZARDS IDENTIFICATIONS

Classification: the product is not classified as hazardous according to 99/45/EC

Principal chemical and physical hazards: the product does not present any risk in normal handling conditions Negative effects:

On health: the product is not hazardous if correctly handled. Avoid anyhow eye and skin contact and ingestion. High powders concentrations may cause irritations to nose and to respiratory tract. Symptoms connected to improper use: not available

Other hazards: in case of fire thermal decomposition fumes are highly toxic (NOx, SOx)

3 – COMPOSITION/INFORMATION ON INGREDIENTS

General information on ingredients: Ethylendiammino-N-N'-bis (2-hidroxy) phenilacetic acid sodium ferric complex.



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV =ISO 14001= -





DROPON CA Issued

05/01/2007

Revision

1 (05/06/2007)

Maxicroi

4 – FIRST AID MEASURES

Symptoms and effects description

- Inhalation: powder may irritate respiratory tract
- Skin contact: Rinse the contaminated part with water and soap. Wash clothes before reuse.
- Eve contact: Rinse with water for at least 15 minutes. Evelids should be held away from the eveball to ensure • thorough rinsing. Seek medical advice if the irritation spreads.
- Ingestion: rinse mouth with water. Give water to drink. Seek medical advice.

Special first aid equipment: not applicable

5 – FIRE-FIGHTING MEASURES

Suitable extinguishing media: Vaporized water, foam, CO2.

Unsuitable extinguishing media: not known

Special exposure hazards caused by substance, combustible products or fumes: nitrous and sulphurous fumes may be released

Special protective equipment for fire-fighters: Use self-contained respiratory equipment and fireproof clothing

6 – ACCIDENTAL RELEASE MEASURE

Personal precautions (see section 8)

Wear protective equipment before entering into dangerous area

Environmental precautions:

When possible pick up the product into a clean recipient either to reuse or dump.

Methods for cleaning up:

Wash the residual with plenty of water

Use of absorbing material: Absorb with inert material (vermiculite). According to the contamination ٠ level store in an authorized dump.



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001



05/01/2007

Revision

1 (05/06/2007)

Maxicrof

7 – HANDLING AND STORAGE

7.1 Handling

Safety precautions

- Local and general ventilation: Operate in well-ventilated areas far from incompatible and reactive substances
- *Environment protection:* Storage in limited areas with containing device
- **Specific requirement (recommended equipment and handling advice):** Always respect hygienic rules, do not drink neither eat. Avoid eye and skin contact. Avoid powder inhalation. Use self-protective equipment. Remove all contaminated clothing and wash them before reuse.

7.2 Storage

Safety conditions

- Incompatible products: watery solutions in contact with copper and aluminium release hydrogen
- *Storage information*: Keep containers tightly closed in a well-ventilated place. Avoid powder making, in some concentrations the product may form an air-powder explosive mixture
- *Packing materials recommended:* Plastic packaging

7.3 Specific use: not applicable

8 – PERSONAL PROTECTION/ EXPOSURE CONTROL

8.1 Exposure limits

ACGIH (2003): Iron soluble salts: TLV/TWA: 1mg/m3

ACGIH (2003): recommended limit – powder to be inhaled: TLV/TWA: 10 mg/m³

ACGIH (2003): recommended limit – breathable powder: TLV/TWA: 3 mg/m^3

8.2 Exposure control

Ensure general or local air exchange through aspirators where fumes can be released

8.2.1 Professional exposure control

8.2.1.1 Respiratory protection: Use anti-powder mask with P2 filters

8.2.1.2 Hand protection: Use long PVC gloves with cuffs

8.2.1.3 Eye protection: Protect eye/face, provide eye baths

8.2.1.4 Skin protection: wear protective clothing

8.2.2 Environmental exposure control: Keep product concentration under the established exposure limits



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV _ =ISO 14001==



IDROPONICA Issued

05/01/2007

Revision

1 (05/06/2007)

Maxicrop

9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 GENERAL INFORMATION			
Appearance			
• <i>Physical state</i> (25° C): solid			
• <i>Colour:</i> dark red			
• Appearance: Microgranules			
Odour odourless			
9.2 IMPORTANT INFORMATION ABOUT HEALTH, SAFETY AND ENVIRONMENT			
pH water solution 1%	7.5	25° C	
Boiling point/range	Not applicable	°C at Pa (1mmHg = 133.32 Pa)	
Flammability point/range (liquids)	Not applicable	°C open container	
Flammability (solids)	Not available	°C closed container	
Flammability (gases, gasiform liquids and solids)	Not available	Explosion limit inf. % vol.	
		Explosion limit sup. % vol.	
Explosive properties	Not applicable		
Combustive properties	Not applicable	mm/s	
Vapour pressure	Not available	kPa at 20° C (1 mmHg = 133.32 Pa)	
Relative density	0.75	kg/dm ³	
Solubility			
Hydro-solubility	350	g/l at 25° C	
Partition coefficient (n-octanol/water) Pow	Not available	$Log Pow = at ^{\circ}C$	
Viscosity	Not applicable	Pa.s at °C	
Vapour density (air = 1)	Not applicable		
Vaporization speed (depending upon)	Not applicable		
9.3 OTHER INFORMATION			
Auto-ignition	Not available	°C	
Explosion limit (inf.) of powder in air	Not applicable	g/m ³	
Melting point/range	Not applicable	°C	
Decomposition temperature	Not available	°C	
Apparent density	Not available		
Solubility in others solvents	Not available		
Conductivity	Not available	(1‰) mS/cm 18 °C	
Explosion limit (LEL)	>40	g/m ³	



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV ISO 14001



Issued 05/01/2007

Revision

Maxicro on 1 (05/06/2007)

10 – STABILITY AND REACTIVITY

10.1 Conditions to avoid: reactions with strong oxidants. Heating at high temperature (250-300 °C) and humid and unventilated places

10.2 Materials to avoid: watery solutions in contact with copper and aluminium release hydrogen

10.3 Hazardous decomposition products: in case of fire SOx CO

11 – TOXICOLOGICAL INFORMATION

Hazardous effects on health caused by exposure (see sections 2 and 4)

Organs target

Symptoms

Information about different kind of exposure

- *Inhalation*: Fumes can irritate respiratory tract. Nitrogen oxides, which may be released over 150° C, can cause lungs oedema as well as an increased sensibility to respiratory tract infections.
- Skin and eye contact: The prolonged skin contact may cause irritation and hitching, the direct eye contact may cause irritation

Immediate, delayed and chronic effects caused by short or long exposure No relevant carcinogenic effects

12 – ECOLOGICAL INFORMATION

Use according to good working rules, avoid to dispose of the product in the environment.

12.1 Ecotoxicity:

• *Aquatic*: not available

12.2 Mobility: not available

12.3 Persistence and degradability: not available

12.4 Potential of bioaccumulation: not available

12.5 Other hazardous effects: Not available

13 – DISPOSAL INFORMATION

Safety descriptions and measures upon disposal of surplus and residual:

Suitable disposal of the product: According to the contamination level and nature, store the residual product as fertilizer in farm or in an authorized dump

Suitable disposal of contaminated packaging: After cleaning up packing must be recycled as plastic

Community disposition of waste:

National or regional dispositions:



COMPANY WITH ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFIED BY DNV =ISO 14001=



DROPON Issued

05/01/2007

Revision

1 (05/06/2007)

Maxicroi

14 – TRANSPORT INFORMATION

UN number:

Packing group:

Description of goods:

Transport class: Particular precautions:

15 – REGULATORY INFORMATION

Label information:

Specific community dispositions upon man and environment protection Professional exposure limit ACGIH (2003): recommended limit – powder to be inhaled: TLV/TWA: 10 mg/m³ ACGIH (2003): recommended limit – breathable powder: TLV/TWA: 3 mg/m²

16 – OTHER INFORMATION

Relevant information about safety, health and environment

- Integral text of pertinent phrases R:
- **Professional training information:** The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility the correct use of this product, according to suitable measures of industrial hygiene
- Information about handling and eventual restrictions: Do not use the product for different purpose. This may cause not estimated risks
- Sources: 1 Raw materials producers' data
 - 2 Limits and IBE about risks caused by chemical agents in working places (Federchimica Ed.2003)

All the information in the safety data above is to our best present knowledge correct and complete. All safety measures are not provided on the safety sheet so other measures in particular conditions can not be requested. It remains the user responsibility to make sure that the information is appropriate and complete for product special use.

