

MAX-IN[®] ZMB[™]

The Next Generation of Foliar Nutrition



3-0-0

Guaranteed Analysis

Total Nitrogen (N)	3.0%
3.0% Nitrate Nitrogen	
Boron (B)	0.1%
Manganese (Mn)	3.0%
3.00% Chelated Manganese (Mn)	
Zinc (Zn)	4.0%
4.00% Chelated Zinc (Zn)	

MAX-IN TECHNOLOGY
LOGO HERE

Derived from: Boric Acid, zinc nitrate, zinc EDTA, manganese nitrate, and manganese glucoheptonate.
*Patent pending

Store Above 40° F

CAUTION

KEEP OUT OF REACH OF CHILDREN

In case of contact, flush with water.

DIRECTIONS FOR USE:

For use in a balanced fertility program for all crops requiring boron, manganese and zinc. User should seek the advice of a certified crop advisor or trained agronomist. For specific crop recommendations in your area, consult your state's recommendations.

CAUTION: Over-application or excessive use of boron, or use on crops other than those listed as having a boron response, can result in boron toxicity and may cause serious crop injury.

GENERAL INFORMATION:

MAX-IN ZMB contains a crop based, adjuvant system which assists in absorption and movement of nutrients in the plant. **MAX-IN ZMB** is not to be used as a replacement for any surfactant in recommendations tank-mixed with herbicides. The use of ammonium sulfate or ammonium sulfate product (such as AgriSolutions CLASS ACT NG or Alliance) is always recommended when tank-mixed with glyphosate based products and other herbicides. When tough to control weed conditions exist, such as hot and dry weather, the use of AgriSolutions CLASS ACT NG is recommended.

MAX-IN ZMB is specifically designed for use on crops that have displayed deficiencies to zinc and manganese. **MAX-IN ZMB** can be used in conjunction with glyphosate products. It is compatible with many agricultural pesticides. However, if local information is not available, a jar test for compatibility should be conducted prior to large scale mixing. When using MAX-IN ZMB with pesticides read and follow the pesticide label instructions. Do not mix MAX-IN ZMB where prohibited by the pesticide label. Mixing MAX-IN with certain pesticides or adjuvants, especially oil based products, can increase the risk of phytotoxicity to sensitive crops in conditions that may increase the activity of the spray solution. Do not mix MAX-IN ZMB with pesticides unless potential phytotoxicity can be tolerated. If uncertain spray a small test area with the spray mixture before making large scale applications.

Distributed By:
Winfield Solutions, LLC
PO Box 64589
St. Paul, Minnesota 55164-0589

0/0930/8
Weight Per Gallon: 10.5 pounds
NET WEIGHT: 26.25 lbs. (11.9 kg.)
NET CONTENTS: 2.5 Gallons (9.464 Liters)

MIXING INSTRUCTIONS:

1. Add water and agitate
2. Add the ammonium sulfate source (CLASS ACT NG) or water conditioner
3. Add MAX-IN ZMB
4. Add Pesticides

NOTE: If wettable powders or water dispersible granules (WDG) are used, slurry them in water prior to addition.

MIXING INSTRUCTIONS WHEN MIXED WITH GLYPHOSATE:

1. Fill tank ½ full with water and agitate
2. Add Class Act Next Generation or AMS and agitate
3. Add MAX IN ZMB, continue agitation
4. Fill tank to ¾ full and continue agitation
5. Add glyphosate and continue agitation
6. Fill tank to full

Do not mix MAX IN ZMB and glyphosate together in the cone inductor. If using a cone induction system rinse it out thoroughly with water between the addition of MAX IN ZMB and glyphosate.

At the end of the day rinse out spray booms.

Foliar Application:

Alfalfa: Apply 1 to 2 quarts per acre of MAX-IN ZMB after each cutting. Applications should be made when sufficient re-growth has occurred.

Cereal Crops: Apply 1 to 2 quarts per acre when plants are between tillering and early joint stages. Later application may be needed; tissue samples should be used to determine later usages.

Corn: Apply 1 to 2 quarts per acre when corn is in the V3 to V8 stage. Later application may be needed; tissue samples should be used to determine later usages. **MAX-IN ZMB** can be tank mixed with glyphosate herbicides.

Cotton: Apply 1.5 pints per acre between the first true leaf and pin head square. 1 to 2 quarts per acre from first bloom to boll fill. Later application may be needed; tissue samples should be used to determine later usages. **MAX-IN ZMB** can be tank mixed with glyphosate herbicides. **MAX-IN ZMB** can be tank mixed with MAX-IN Cotton and origin Ascend.

Peanuts: Use 1-2 quarts per acre of **MAX-IN ZMB** during the vegetative stage in a minimum of 10 gallons of water by ground. A second application may be made at pegging.

Potatoes: Apply 1 to 2 quarts per acre from emergence to tuber initiation. Later application may be needed; tissue samples should be used to determine later usages.

Soybeans: Apply 1 to 2 quarts per acre when soybeans are in the vegetative stage or earlier reproductive stage. Later application may be needed; tissue samples should be used to determine later usages. MAX-IN ZMB can be tank mixed with glyphosate herbicides.

Sugar Beets: Apply 1 to 2 quarts per acre between the second and 10 true leaf stages. Later application may be needed; tissue samples should be used to determine later usages. **MAX-IN ZMB** can be tank mixed with glyphosate herbicides.

Aerial Application:

Above use rates should be used in a minimum of 3 gallons of water by air. Repeat applications 10-21 days apart may be necessary.

A number of variables influence the rate of application necessary to prevent or correct a specific deficiency. For best results, follow good agronomic practices and tissue test. For specific recommendations for crops in your area, consult your state's recommendations. An ammonium sulfate source is recommended with herbicides that ammonium sulfate or a nitrogen source is recommended.

For use in Wisconsin:

For beans (dry, snap), lettuce, oat, onion, radishes, raspberry, soybean, spinach, sudangrass, wheat – 0.5 lbs (0.31 gallons) per acre for foliar applications.

For other crops – 0.10lbs (0.21 gallons) per acre for foliar applications.

Distributed By:
Winfield Solutions, LLC
PO Box 64589
St. Paul, Minnesota 55164-0589

0/0930/8
Weight Per Gallon: 10.5 pounds
NET WEIGHT: 26.25 lbs. (11.9 kg.)
NET CONTENTS: 2.5 Gallons (9.464 Liters)

CAUTION:

- Keep out of the reach of children
- Harmful if swallowed
- Avoid breathing spray mist
- Contact may cause eye or skin irritation
- Avoid contact with eyes and prolonged contact with skin

First Aid:

In case of contact, flush eyes with plenty of water for at least 15 minutes and get prompt medical attention. Wash skin thoroughly with soap and water.

STORAGE

Store Above 40° F

MAX-IN ZMB can be corrosive to tanks, pumps, meters and fittings. Store in stainless steel or polyethylene tanks with stainless steel or polyethylene fittings.

For Chemical Spill, Leak, Fire or Exposure, Call Chemtrec (800) 424-9300.

Information regarding the contents and levels of metals in this product is available on the internet at

<http://www.aapfco.org/metals.htm>

WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

The directions for use of this product must be followed carefully. EXCEPT AS PROVIDED ABOVE AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

ZMB™ is a trademark and Origin® and MAX-IN® are registered trademarks of Winfield Solutions, LLC.

Distributed By:

Winfield Solutions, LLC

PO Box 64589

St. Paul, Minnesota 55164-0589

0/0930/8

Weight Per Gallon: 10.5 pounds

NET WEIGHT: 26.25 lbs. (11.9 kg.)

NET CONTENTS: 2.5 Gallons (9.464 Liters)